

# Kenyon College

## Digital Kenyon: Research, Scholarship, and Creative Exchange

---

Four Valleys Archive

Anthropology

---

7-3-2001

### PVC-CAT-026-B-028-003-WKDS

Christian Wells  
*Kenyon College*

Follow this and additional works at: <https://digital.kenyon.edu/honduras>



Part of the Archaeological Anthropology Commons

---

#### Recommended Citation

Wells, Christian, "PVC-CAT-026-B-028-003-WKDS" (2001). *Four Valleys Archive*. Paper 80132.  
<https://digital.kenyon.edu/honduras/80132>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact [noltj@kenyon.edu](mailto:noltj@kenyon.edu).

PROYECTO VALLE DE CACAULAPA  
CATALOG FORM

DATE: 07/03/01

LOT NUMBER: 26B/028

SUBSTANCE: Ceramic

OBJECT: Worked sherd

CATALOG #: 26B/028-3

MULTIPLES? no

DRAWN BY:

PASTE GROUP (for ceramics):

EXCAVATOR: #34

CATALOGED BY: 1

MAXIMUM--HGT/LENGTH: 4.4cm.

WIDTH: 4.1cm

THICKNESS: 1cm.

VERBAL DESCRIPTION: This worked sherd is intact: y - ☒ n

If no, approximately what percentage is preserved (give a number): 95%

The shape of this object is approximately: triangular - square - rectangular - oval - tear-drop - ☒ other  
(describe): An irregular, five-sided figure.

A scribed/lightly incised line demarcating the circumference is visible: y - ☒ n

The margin/edge was chipped to form the item: y - ☒ n

The margin/edge was deliberately ground to smooth it: y - ☒ n

The margin/edge is smoothed from use: ☒ y - n

There is other use wear visible: y - ☒ n

Trace the item on the reverse, both frontal view and profile, and show where there is use.

Describe the use: moderately heavy erosion along 3 edges -- possibly the sherd was purposefully shaped but this is unclear.

The type-variety from which this was made is: PITONAS

Comments:

PASTE INT.: 57R 6/8  
PASTE EX.: 57R 6/6

26B/028-3

